PRODUCT INFORMATION

Common Name	**Warning**: Undefined variable $hasAttributeValueDescription in **/www/wwwroot/tech.dimabio.cn/wp-content/plugins/woocommerce-print-products/public/class-woocommerce-print-products-public.php** on line **2806** BlueBird HuC11D5.3 (bb2121)
Conjugate	Unconjugated
Synonyms	CD269;TNFRSF17;BCM;BCMA
Applications	ELISA; Flow Cyt
Recommended Dilutions	ELISA 1:5000-10000; Flow Cyt 1:100
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Host Species	Humanized
IgG type	Human IgG1 – kappa
Reactivity	Human
Target	BCMA
Uniprot ID	Q02223
Description	Anti-BCMA (biosimilar) mAb
Delivery	In Stock
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
Usage	Research use only

DIMABIO CONFIDENTIAL




Figure 1. ELISA plate pre-coated by 2μg/ml (100μl/well) Human BCMA, hFc-His Tag PME100001 can bind Anti-BCMA (Neutralizing antibody clone huC11D5.3) in a linear range of 3.71-22.29 ng/ml.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com




Figure 2. Flow cytometry analysis with 15 μg/mL Anti-BCMA mAb (BME100016) on HEK293 cells transfected with Human BCMA protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).




Figure 3. ELISA plate pre-coated by 2 μg/mL (100 μL/well) Human BCMA Protein, mFc Tag (PME100035) can bind Anti-BCMA (biosimilar) mAb (BME100016) in a linear range of 2.29–61.73 ng/mL.

DIMABIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com