Anti-CEACAM5 (Chongqing Precision biosimilar) mAb

Cat. No. BME100182

PRODUCT INFORMATION

Common Name	**Warning**: Undefined variable $hasAttributeValueDescription in **/www/wwwroot/tech.dimabio.cn/wp-content/plugins/woocommerce-print-products/public/class-woocommerce-print-products-public.php** on line **2806** Chongqing Precision
Synonyms	**Warning**: Undefined variable $hasAttributeValueDescription in **/www/wwwroot/tech.dimabio.cn/wp-content/plugins/woocommerce-print-products/public/class-woocommerce-print-products-public.php** on line **2806** CEACAM-5,CD66e,CEA,Meconium antigen 100
Applications	Flow Cyt
Conjugate	Unconjugated
Recommended Dilutions	Flow Cyt 1:100
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions.
Host Species	Humanized
IgG type	Human IgG1 – kappa
Reactivity	Human
Target	CEACAM5
Uniprot ID	P06731
Description	Anti-CEACAM5 (Chongqing Precision biosimilar) mAb
Delivery	In Stock
Background	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).Lyophilized antibodies are shipped at ambient temperature.
Usage	Research use only

DIMABIO CONFIDENTIAL




Figure 1. Flow cytometry analysis with 1μg/mL Anti-CEACAM5 (Chongqing Precision biosimilar) mAb (BME100182) on HEK293 cells transfected with Human CEACAM5 protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com