## PRODUCT INFORMATION

| | |
|---|---|
| **Common Name** | **Warning**: Undefined variable $hasAttributeValueDescription in **/www/wwwroot/tech.dimabio.cn/wp-content/plugins/woocommerce-print-products/public/class-woocommerce-print-products-public.php** on line **2806**<br>MTIG-7192-A, MTIG-7192A, MTIG7192A, RG-6058, RO-7092284, RO7092284 |
| **Conjugate** | Unconjugated |
| **Synonyms** | TIGIT;SIG9;STM3 |
| **Applications** | ELISA; Flow Cyt |
| **Recommended Dilutions** | ELISA 1:5000-10000; Flow Cyt 1:100 |
| **Formulation & Reconstitution** | Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| **Host Species** | Homo sapiens |
| **IgG type** | Human IgG1 – kappa |
| **Reactivity** | Human |
| **Target** | TIGIT |
| **Uniprot ID** | Q495A1 |
| **Description** | Anti-TIGIT (tiragolumab biosimilar) mAb |
| **Delivery** | In Stock |
| **Storage&Shipping** | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| **Background** | Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals. |
| **Usage** | Research use only |

DIMABIO CONFIDENTIAL





**Figure 1.** ELISA plate pre-coated by 2 μg/ml (100 μl/well) Human TIGIT, His tagged protein ([getskuurl sku="PME100506"]) can bind Anti-TIGIT Neutralizing antibody in a linear range of 1.6-200.0 ng/ml.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com





**Figure 2.** Flow cytometry analysis with 15 μg/mL Anti-TIGIT (tiragolumab) mAb (BME100026) on HEK293 cells transfected with Human TIGIT protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

DIMABIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com