## PRODUCT INFORMATION

| | |
|---|---|
| **Target** | IL6R |
| **Synonyms** | CD126;gp80;IL-6R-1;IL-6RA;IL6Q;IL6RA;IL6RQ |
| **Description** | Recombinant Human IL6R Protein with C-terminal 6×His tag |
| **Delivery** | In Stock |
| **Uniprot ID** | P08887 |
| **Expression Host** | HEK293 |
| **Tag** | C-6×His Tag |
| **Molecular Characterization** | IL6R(Leu20-Pro365) 6×His tag |
| **Molecular Weight** | The protein has a predicted molecular mass of 39.4 kDa after removal of the signal peptide.The apparent molecular mass of IL6R-His is approximately 55-70 kDa due to glycosylation. |
| **Purity** | The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining. |
| **Formulation & Reconstitution** | Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| **Storage&Shipping** | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| **Background** | This gene encodes a subunit of the interleukin 6 (IL6) receptor complex. Interleukin 6 is a potent pleiotropic cytokine that regulates cell growth and differentiation and plays an important role in the immune response. The IL6 receptor is a protein complex consisting of this protein and interleukin 6 signal transducer (IL6ST/GP130/IL6-beta), a receptor subunit also shared by many other cytokines. Dysregulated production of IL6 and this receptor are implicated in the pathogenesis of many diseases, such as multiple myeloma, autoimmune diseases and prostate cancer. Alternatively spliced transcript variants encoding distinct isoforms have been reported. A pseudogene of this gene is found on chromosome 9. |
| **Usage** | Research use only |
| **Conjugate** | Unconjugated |

DIMA BIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com





Figure 1. Human IL6R Protein, His Tag on SDS-PAGE under reducing condition.





Figure 2. ELISA plate pre-coated by 2 μg/ml (100 μl/well) Human IL6R, His tagged protein (PME100109) can bind Human IL6, mFc-His tagged protein PME100032 in a linear range of 0.512-40000 ng/ml.

DIMABIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com





Figure 3. ELISA plate pre-coated by 2 μg/ml (100 μl/well) Human IL6R, His tagged protein (PME100109) can bind Anti-IL6R Neutralizing antibody BME100041 in a linear range of 0.64-80 ng/ml.

DIMABIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com