## PRODUCT INFORMATION

| | |
|---|---|
| **Target** | B7-H4 |
| **Synonyms** | VTCN1;B7x;B7s1 |
| **Description** | Recombinant mouse B7-H4 protein with C-terminal 6×His tag |
| **Delivery** | In Stock |
| **Uniprot ID** | Q7TSP5 |
| **Expression Host** | HEK293 |
| **Tag** | C-6×His Tag |
| **Molecular Characterization** | Mouse B7-H4(Phe29-Ser256) 6×His tag |
| **Molecular Weight** | The protein has a predicted molecular mass of 26.0 kDa after removal of the signal peptide. The apparent molecular mass of mB7-H4-His is approximately 35-70 kDa due to glycosylation. |
| **Purity** | The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining. |
| **Formulation & Reconstitution** | Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| **Storage&Shipping** | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| **Background** | Enables signaling receptor binding activity. Acts upstream of or within positive regulation of interleukin-2 production; regulation of T cell activation; and response to protozoan. Located in external side of plasma membrane. Is expressed in hemolymphoid system gland; lung; male reproductive gland or organ; and pancreas. Orthologous to human VTCN1 (V-set domain containing T cell activation inhibitor 1). [provided by Alliance of Genome Resources, Apr 2022] |
| **Usage** | Research use only |
| **Conjugate** | Unconjugated |

DIMA BIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com





Figure 1. Mouse B7-H4 Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com