## PRODUCT INFORMATION

| | |
|---|---|
| **Target** | FOLR1 |
| **Synonyms** | FBP1; Folbp1; Folbp-1 |
| **Description** | Recombinant mouse FOLR1 protein with C-terminal 10×His tag |
| **Delivery** | In Stock |
| **Uniprot ID** | P35846 |
| **Expression Host** | HEK293 |
| **Tag** | C-10×His tag |
| **Molecular Characterization** | Mouse FOLR1(Thr25-Ser232)+10×His tag |
| **Molecular Weight** | The protein has a predicted molecular mass of 25.6 kDa after removal of the signal peptide. The apparent molecular mass of mFOLR1-His is approximately 25-55 kDa due to glycosylation. |
| **Purity** | The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining. |
| **Formulation & Reconstitution** | Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| **Storage&Shipping** | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| **Background** | Predicted to enable carboxylic acid binding activity; folic acid receptor activity; and signaling receptor activity. Involved in circulatory system development; nervous system development; and regulation of signal transduction. Acts upstream of or within folic acid metabolic process. Predicted to be located in several cellular components, including apical plasma membrane; basolateral plasma membrane; and brush border membrane. Predicted to be anchored component of plasma membrane. Predicted to be anchored component of external side of plasma membrane. Is expressed in several structures, including brain; early conceptus; genitourinary system; gut; and retina. Human ortholog(s) of this gene implicated in cerebral folate receptor alpha deficiency. Orthologous to human FOLR1 (folate receptor alpha). [provided by Alliance of Genome Resources, Apr 2022] |
| **Usage** | Research use only |
| **Conjugate** | Unconjugated |

DIMA BIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com





Figure 1. Mouse FOLR1 Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com