# PE-conjugated Anti-CRTAM antibody(DMC489); IgG1 Chimeric mAb

Cat. No. DMC100489P

## PRODUCT INFORMATION

| | |
|---|---|
| **Clone ID** | **Warning**: Undefined variable $hasAttributeValueDescription in **/www/wwwroot/tech.dimabio.cn/wp-content/plugins/woocommerce-print-products/public/class-woocommerce-print-products-public.php** on line **2806**<br>DMC489 |
| **Target** | CRTAM |
| **Synonyms** | CD355 |
| **Host Species** | Rabbit |
| **Description** | PE-conjugated Anti-CRTAM antibody(DMC489); IgG1 Chimeric mAb |
| **Delivery** | Under Development |
| **Uniprot ID** | O95727 |
| **IgG type** | Rabbit/Human Fc chimeric IgG1 |
| **Clonality** | Monoclonal |
| **Reactivity** | Human |
| **Applications** | Flow Cyt |
| **Recommended Dilutions** | Flow Cyt 1:100 |
| **Purification** | Purified from cell culture supernatant by affinity chromatography |
| **Formulation & Reconstitution** | Liquid□PBS with 0.05% Proclin300, 1% BSA |
| **Storage&Shipping** | Store at 2°C-8°C for 6 months |
| **Background** | The CRTAM gene is upregulated in CD4 (see MIM 186940)-positive and CD8 (see CD8A; MIM 186910)-positive T cells and encodes a type I transmembrane protein with V and C1-like Ig domains (Yeh et al.; 2008 [PubMed 18329370]).[supplied by OMIM; Feb 2009] |
| **Usage** | Research use only |
| **Conjugate** | PE-conjugated |
| **DIMA Disclaimer** | All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scr |

DIMABIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com